

## Plantes tolérantes à la juglone

Nom commun	Nom latin
Actinide denticulée	<i>Actinidia arguta</i>
Agrostide blanche	<i>Agrostis gigantea</i>
Anémone	<i>Anemone apennia</i>
Asiminier	<i>Asimina</i> sp.
Athyrie fougère-femelle	<i>Bulbinopsis bulbosa</i>
Aubépine	<i>Crataegus</i> sp.
Betterave	<i>Beta vulgaris</i>
Blé	<i>Triticum</i> sp.
Bugle rampante	<i>Ajugia pyramidalis</i>
Carotte sauvage	<i>Daucus carota</i>
Caryer	<i>Carya</i> sp.
Catalpa du sud	<i>Catalpa bignonioides</i>
Cèdre rouge	<i>Juniperus virginiana</i>
Cerisier acide	<i>Prunus cerasus</i>
Chalef en ombelles	<i>Elaeagnus umbellata</i>
Chêne	<i>Quercus</i> sp.
Chèvrefeuille	<i>Lonicera</i> sp.
Ciguë maculée	<i>Conium maculatum</i>
Clématite	<i>Clematis</i> sp.
Cognassier	<i>Pseudocydonia oblonga</i>
Cyclamen	<i>Cyclamen persicum</i>
Dactyle pelotonné	<i>Dactylis glomerata</i>
Érables (la plupart des espèces)	<i>Acer</i> sp.
Érythrone d'Amérique	<i>Erythronium americanum</i>
Fétuque	<i>Festuca</i> sp.
Forsythie	<i>Forsythia</i> sp.
Fougère-à-faucilles	<i>Polystichum</i> sp.
Fougère-à-l'autruche	<i>Maltcuria struthiopteris</i>
Fusain ailé	<i>Euonymus alatus</i>

Fusain ailé, « Gaiety »	<i>Euonymus alatus 'Gaiety'</i>
Gainier rouge	<i>Cercis canadensis</i>
Genévrier	<i>Juniperus sp.</i>
Genévrier Arcadia	<i>Juniperus arcadia</i>
Grande marguerite	<i>Leucanthemum sp.</i>
Haricot (lima, mange-tout)	<i>Phaseolus sp.</i>
Hémérocalle	<i>Hemerocallis sp.</i>
Herbe à la puce	<i>Rhus radicans</i>
Heuchère	<i>Heuchera sp.</i>
Hosta	<i>Hosta sp.</i>
Hydrangée sauvage	<i>Hydrangea sp.</i>
Iris	<i>Iris x germanica</i>
Lierre terrestre	<i>Glechoma hederacea</i>
Lilas	<i>Syringa sp.</i>
Liriope	<i>Liriope sp.</i>
Maïs sucré	<i>Zea mays</i>
Morelle des oiseaux	<i>Solanum aviculare</i>
Mûrier	<i>Rubus occidentalis</i>
Narcisse	<i>Narcissus sp.</i>
Narcisse des prés	<i>Narcissus pseudonarcissus</i>
Noyer	<i>Juglans sp.</i>
Oignon	<i>Allium cepa</i>
Orme	<i>Ulmus sp.</i>
Oxalide cornue	<i>Oxalis corniculata</i>
Pachysandre	<i>Pachysandra sp.</i>
Panais	<i>Pastinaca sativa</i>
Pâturin des prés	<i>Poa pratensis</i>
Petit prêcheur	<i>Arissema triphyllum</i>
Petite pervenche	<i>Vinca minor</i>
Phléole des prés	<i>Phleum pratense</i>
Phlox	<i>Phlox sp.</i>

Pigamon	<i>Thalictrum</i> sp.
Pissenlit officinal	<i>Taraxacum officinale</i>
Plaqueminier de Virginie	<i>Diospyros virginiana</i>
Platane	<i>Platanus occidentalis</i>
Podophylle pelté	<i>Podophyllum emodi</i>
Primevère	<i>Primula vulgaris</i>
Pruche du Canada	<i>Tsuga</i> sp.
Robinier faux-acacia	<i>Robinia pseudoacacia</i>
Rosier sauvage	<i>Rosa</i> sp.
Sceau de Salomon	<i>Polygonatum odoratum</i>
Seringua	<i>Philadelphus</i> sp.
Soya	<i>Glycine max.</i>
Stellaire moyenne	<i>Stellaria media</i>
Trèfle blanc	<i>Trifolium repens</i>
Trille	<i>Trillium</i> sp.
Uvulaire	<i>Uvularia</i> sp.
Véronique filiforme	<i>Veronica filiformis</i>
Vigne	<i>Vitis</i> sp. SAUF <i>Vitis vinifera</i>
Vigne vierge commune	<i>Parthenocissus quinquefolia</i>
Viorne	<i>Viburnum</i> sp.
Zinnia	<i>Zinnia elegans</i>

### Plantes sensibles à la juglone

Nom commun	Nom latin
Asperge	<i>Asparagus officinalis</i>
Aubergine	<i>Solanum melongena</i>
Aulne	<i>Alnus</i> sp.
Azalée	<i>Rhododendron</i> sp.
Bleuet	<i>Vaccinium</i> sp.
Bouleau blanc	<i>Betula papyrifera</i>
Chèvrefeuille de Maack	<i>Lonicera maackii</i>

Chou	<i>Brassica oleracea</i>
Chrysanthème	<i>Chrysanthemum</i> sp.
Colchique	<i>Colchicum autumnale</i>
Cotonéaster	<i>Cotoneaster</i> sp.
Épinette de Norvège	<i>Picea abies</i>
Érable argenté	<i>Acer saccharinum</i>
Kalmia à feuilles larges	<i>Kalmia latifolia</i>
Lespédéza du Japon	<i>Lespedeza striata</i>
Luzerne	<i>Medicago sativa</i>
Magnolia de Soulange	<i>Magnolia x soulangiana</i>
Mélèze du Japon	<i>Larix kaempferi</i>
Micocoulier du Mississippi	<i>Celtis laevigata</i>
Myrtille	<i>Gaylussacia</i> sp.
Pin à encens	<i>Pinus taeda</i>
Pin rouge	<i>Pinus resinosa</i>
Pin sylvestre	<i>Pinus sylvestris</i>
Pine blanc	<i>Pinus strobus</i>
Pivoine	<i>Paeonia</i> sp.
Poivron et piment	<i>Capsicum annuum</i>
Pomme de terre	<i>Solanum tuberosum</i>
Pommier/pommetier	<i>Malus</i> sp.
Potentille	<i>Potentilla neumanniana</i>
Potentille frutescente	<i>Potentilla fruticosa</i>
Rhododendron	<i>Rhododendron</i>
Ronce	<i>Rubus</i> sp.
Tabac	<i>Nicotiana tabacum</i>
Tilleul d'Amérique	<i>Tilia americana</i>
Tomate	<i>Lycopersicon esculentum</i>
Trèfle incarnat	<i>Trifolium incanatum</i>
Troène commun	<i>Ligustrum vulgare</i>

## Trees

- Japanese Maples, *Acer palmatum* and its cultivars
- Southern Catalpa, *Catalpa bignonioides*
- Eastern Redbud, *Cercis canadensis*
- Canadian Hemlock, *Tsuga canadensis*

## Vines and Shrubs

- *Clematis* 'Red Cardinal'
- February Daphne, *Daphne mezereum*
- *Euonymus* species
- Weeping Forsythia, *Forsythia suspensa*
- Rose of Sharon, *Hibiscus syriacus*
- Tartarian Honeysuckle, *Lonicera tatarica*, and most other *Lonicera* species
- Virginia Creeper, *Parthenocissus quinquefolia*
- \*\* Pinxterbloom, *Rhododendron periclymenoides*
- \*\*\*'Gibraltar' and 'Balzac', *Rhododendron* Exbury hybrids
- Multiflora Rose, *Rosa multiflora*
- Black Raspberry, *Rubus occidentalis*
- Arborvitae, *Thuja* species
- \*\* Koreanspice Viburnum, *Viburnum carlesii*, and most other *Viburnum* species

## Annuals

- Pot-marigold, *Calendula officinalis* 'Nonstop'
- *Begonia*, fibrous cultivars
- Morning Glory, *Ipomoea* 'Heavenly Blue'
- Pansy *Viola*
- *Zinnia* species

## Vegetables

- Squashes, Melons, Beans, Carrots, Corn

## Fruit Trees

- Peach, Nectarine, Cherry, Plum
- *Prunus* species Pear-*Pyrus* species

## Herbaceous Perennials

- Bugleweed, *Ajuga reptans*
- Hollyhock, *Alcea rosea*
- American Wood Anemone, *Anemone quinquefolia*
- Jack-in-the-Pulpit, *Arisaema triphyllum*
- European Wild Ginger, *Asarum europaeum*

- *Astilbe* species
- Bellflower, *Campanula latifolia*
- \*\**Chrysanthemum* species (some)
- Glory-of-the-Snow, *Chionodoxa luciliae*
- Spring Beauty, *Claytonia virginica*
- *Crocus* species
- Dutchman's Breeches, *Dicentra cucullaria*
- Leopard's-Bane, *Doronicum* species
- Crested Wood Fern, *Dryopteris cristata*
- Spanish Bluebell, *Endymion hispanicus*
- Winter Aconite, *Eranthis hyemalis*
- Snowdrop, *Galanthus nivalis*
- Sweet Woodruff, *Galium odoratum*
- Herb Robert, *Geranium robertianum*
- Cranesbill, *Geranium sanguineum*
- Grasses (most) Gramineae family
- Jerusalem Artichoke, *Helianthus tuberosus*
- Common Daylily, *Hemerocallis* 'Pluie de Feu'
- Coral Bells, *Heuchera x brizoides*
- Orange Hawkweed, *Hieracium aurantiacum*
- Plantain-lily, *Hosta fortunei* 'Glauca'
- *Hosta lancifolia*
- *Hosta marginata*
- *Hosta undulata* 'Variegata'
- Common Hyacinth, *Hyacinthus Orientalis* 'City of Haarlem'
- Virginia Waterleaf, *Hydrophyllum virginianum*
- Siberian Iris, *Iris sibirica*
- Balm, *Monarda didyma*
- Wild Bergamot, *M. fistulosa*
- Grape Hyacinth, *Muscari botryoides*
- Sweet Cicely, *Myrrhis odorata* 'Yellow Cheerfulness,' 'Geranium,' 'Tete a Tete,' 'Sundial,' and 'February Gold'
- Sundrops, *Oenothera fruticosa*
- Sensitive Fern, *Onoclea sensibilis*
- Cinnamon Fern, *Osmunda cinnamomea*
- Peony, \*\**Paeonia* species (some)
- Summer Phlox, *Phlox paniculata*
- Mayapple, *Podophyllum peltatum*
- Jacob's-Ladder, *Polemonium reptans*
- Great Solomon's-Seal, *Polygonatum commutatum*
- Polyanthus Primrose, *Primula x polyantha*
- Lungwort, *Pulmonaria* species
- Bloodroot, *Sanguinaria canadensis*

- Siberian Squill, *Scilla sibirica*
- Goldmoss Stonecrop, *Sedum acre*
- Showy Sedum, *Sedum spectabile*
- Lamb's-Ear, *Stachys byzantina*
- Spiderwort, *Tradescantia virginiana*
- Nodding Trillium, *Trillium cernuum*
- White Wake-Robin, *Trillium grandiflorum*
- *Tulipa* Darwin 'White Valcano' and 'Cum Laude,' Parrot 'Blue Parrot,' Greigii 'Toronto'
- Big Merrybells, *Uvularia grandiflora*
- Canada Violet, *Viola canadensis*
- Horned Violet, *Viola cornuta*
- Woolly Blue Violet, *Viola sororia*

\*These are based upon observations and not from clinical tests.

\*\*Cultivars of some species may do poorly.

## **Plants That Do Not Grow Within 50 Feet of Drip Line of Black Walnut**

Plants inhibées, à mettre à plus de 15 mètres du noyer.

### **Herbaceous Perennials**

- Colorado Columbine, *Aquilegia caerulea*
- Wild Columbine, *Aquilegia canadensis*
- Asparagus, *Asparagus officinalis*
- \**Chrysanthemum* Chrysanthumum species (some)
- *Baptisia australis*
- *Hydrangea* species
- Lilies, *Lilium* species (particularly the Asian hybrids)
- Alfalfa, *Medicago sativa*
- Buttercup, *Narcissus* 'John Evelyn,' 'Unsurpassable' 'King Alfred' and 'Ice Follies'
- Peonies, \**Paeonia* species (some)
- Rhubarb, *Rheum rhabarbarum*

### **Trees**

- Silver Maple, *Acer saccharinum*
- European Alder, *Alnus glutinosa*
- White Birches, *Betula* species
- Northern Hackberry, *Celtis occidentalis*
- Apples and Crabapples, *Malus* species
- Norway Spruce, *Picea abies*
- Mugo Pine, *Pinus mugo*
- Red Pine, *Pinus resinosa*
- Eastern White Pine, *Pinus strobus*
- Basswood, *Tilia heterophylla*

## **Shrubs**

- Red Chokeberry, *Aronia arbutifolia* / spp ? (EFG)
- *Hydrangea* species
- Mountain Laurels, *Kalmia* species
- Privet, *Ligustrum* species
- Amur Honeysuckle, *Lonicera maackii*
- Brush Cinquefoil, *Potentilla* species
- Rhododendrons and Azaleas, \*\**Rhododendron* species (most)
- Blackberry, *Rubus allegheniensis*
- Lilacs, *Syringa* species and cultivars
- Yew, *Taxus* species
- Blueberry, *Vaccinium corymbosum*
- \**Viburnum plicatum tomentosum* 'Mariesii'

## **Annuals and Vegetables Transplants**

- Cabbage, *Brassica oleracea capitata*
- Peppers, *Capsicum* species (some)
- Tomatoes, *Lycopersicon esculentum*
- Flowering Tobacco, *Nicotiana alata*
- *Petunia* species and cultivars
- Eggplant, *Solanum melongena*
- Potato, *Solanum tuberosum*
- double-flowered cole vegetables

\*Cultivars of some species may survive but will do poorly.